

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	695	scanner same carrier same driv\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 12:28
L2	9117	carrier same guid\$4 same rail\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 12:27
L3	46	l1 and l2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 12:05
L4	14	l3 and latch\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 11:27
L5	1	l4 and "235"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 11:30
L6	4	l3 and "235"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 11:31
L7	4	l3 and (optical adj1 scanner)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 11:31
L8	10	l3 and recess	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 12:05
L9	6	l8 and latch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 12:05
L10	6	l8 and latch\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 12:26

L11	4	l10 and optical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 12:27
L12	5410	235/462.{d0:2}.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 12:27
L13	3	l12 and l2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 12:27
L14	15	l12 and l1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 12:29
L15	166037	guid\$4 same rail\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 12:29
L16	0	l14 and l15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 12:29
L17	0	l14 and rail\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 12:30
L18	5	l14 and guid\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 12:30
L20	28604	(optical adj1 (scanner or reader or module))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 12:34
L21	110	(optical adj1 (scanner or reader or module)) same carrier same driv\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 12:34

L22	11	I15 and I21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 12:31
L23	116	(optic\$4 adj1 (scanner or reader or module)) same carrier same driv\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 12:45
L24	14	I15 and I23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 12:41
L25	5	I24 and (latch\$4 or fasten\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 13:08
L26	15	I23 and rails	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 14:16
L27	16224	(rail\$1 or groov\$4) same (latch\$4 or engag\$4 or hold\$4) same carrier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 13:15
L28	11	I23 and I27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 13:13
L29	4	I27 and 235/462.{d0:2}.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 13:15
L30	128604	(latch\$4 or engag\$4 or hold\$4) same carrier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 13:15
L31	75	I30 and 235/462.{d0:2}.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 13:16

L32	15	l31 and (rail\$1 or groov\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 13:57
L33	31	l31 and (rail\$1 or groov\$4 or guid\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 13:35
L34	10	thien.xp. and wafer\$.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 13:36
L35	6	l10 and (guid\$4 or rail\$4 or track\$2) and latch\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 13:38
L36	0	l34 and (guid\$4 or rail\$4 or track\$2) and latch\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 13:38
L37	1	l34 and latch\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 13:38
L38	10	(US-6612681-\$ or US-6471202-\$ or US-6382858-\$ or US-6318836-\$ or US-6626360-\$ or US-6084824-\$ or US-5345431-\$ or US-5175420-\$ or US-5864130-\$ or US-4609818-\$). did.	USPAT	OR	OFF	2005/03/09 14:18
L39	0	l38 and (nylon or polycarbonate or polyoxymethylene or polybutylene)	USPAT	OR	OFF	2005/03/09 14:18
L40	8312	casing and (nylon or polycarbonate or polyoxymethylene or polybutylene)	USPAT	OR	OFF	2005/03/09 14:19
L41	1944	casing same (nylon or polycarbonate or polyoxymethylene or polybutylene)	USPAT	OR	OFF	2005/03/09 14:19
L42	0	l41 and 235/462.{d0:2}.ccls.	USPAT	OR	OFF	2005/03/09 14:19
L43	20	(nylon or polycarbonate or polyoxymethylene or polybutylene) and 235/462.{d0:2}.ccls.	USPAT	OR	OFF	2005/03/09 14:20

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	34	carrier same (optical near10 system) same guid\$4 same rail\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 08:31
L2	21	carrier same (optical near10 system) same guid\$4 same rail\$1 same driv\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 08:32
L3	18	carrier same (optical adj1 system) same guid\$4 same rail\$1 same driv\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:14
L4	5	carrier same (optical adj1 system) same guid\$4 same rail\$1 same driv\$4 same scanner	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:13
L5	13	l3 not l4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:13
L6	4	carrier same (optical adj1 scanner) same guid\$4 same rail\$1 same driv\$4 same scanner	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:13
L7	17	l5 or l6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:13
L8	3	carrier near30 (optical adj1 system) near30 driv\$4 near30 along	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:15
L9	105	carrier same (optical adj1 system) same driv\$4 same along	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:15
L10	10	carrier same (optical adj1 system) same driv\$4 same along same rail\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:16

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	34	carrier same (optical near10 system) same guid\$4 same rail\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 08:31
L2	21	carrier same (optical near10 system) same guid\$4 same rail\$1 same driv\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 08:32
L3	18	carrier same (optical adj1 system) same guid\$4 same rail\$1 same driv\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 10:08
L4	5	carrier same (optical adj1 system) same guid\$4 same rail\$1 same driv\$4 same scanner	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:13
L5	13	l3 not l4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:13
L6	4	carrier same (optical adj1 scanner) same guid\$4 same rail\$1 same driv\$4 same scanner	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:13
L7	17	l5 or l6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:13
L8	3	carrier near30 (optical adj1 system) near30 driv\$4 near30 along	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:15
L9	105	carrier same (optical adj1 system) same driv\$4 same along	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:15
L10	10	carrier same (optical adj1 system) same driv\$4 same along same rail\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 10:07

L11	5410	235/462.{d0:2}.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 10:07
L12	1359	optical same guid\$4 same rail\$1 same driv\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 10:11
L13	4	l11 and l12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 10:11

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	34	carrier same (optical near10 system) same guid\$4 same rail\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 08:31
L2	21	carrier same (optical near10 system) same guid\$4 same rail\$1 same driv\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 08:32
L3	18	carrier same (optical adj1 system) same guid\$4 same rail\$1 same driv\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 10:08
L4	5	carrier same (optical adj1 system) same guid\$4 same rail\$1 same driv\$4 same scanner	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:13
L5	13	l3 not l4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:13
L6	4	carrier same (optical adj1 scanner) same guid\$4 same rail\$1 same driv\$4 same scanner	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:13
L7	17	l5 or l6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:13
L8	3	carrier near30 (optical adj1 system) near30 driv\$4 near30 along	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:15
L9	105	carrier same (optical adj1 system) same driv\$4 same along	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:15
L10	10	carrier same (optical adj1 system) same driv\$4 same along same rail\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 10:07

L11	5410	235/462.{d0:2}.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 10:07
L12	1359	optical same guid\$4 same rail\$1 same driv\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 10:40
L13	4	l11 and l12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 10:11
L14	3002	carrier same guid\$4 same rail\$1 same driv\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 10:40
L15	0	l11 and l14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 10:40

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	34	carrier same (optical near10 system) same guid\$4 same rail\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 08:31
L2	21	carrier same (optical near10 system) same guid\$4 same rail\$1 same driv\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 08:32
L3	18	carrier same (optical adj1 system) same guid\$4 same rail\$1 same driv\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 10:08
L4	5	carrier same (optical adj1 system) same guid\$4 same rail\$1 same driv\$4 same scanner	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:13
L5	13	l3 not l4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:13
L6	4	carrier same (optical adj1 scanner) same guid\$4 same rail\$1 same driv\$4 same scanner	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:13
L7	17	l5 or l6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:13
L8	3	carrier near30 (optical adj1 system) near30 driv\$4 near30 along	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:15
L9	105	carrier same (optical adj1 system) same driv\$4 same along	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:15
L10	10	carrier same (optical adj1 system) same driv\$4 same along same rail\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 10:07

L11	5410	235/462.{d0:2}.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 10:07
L12	1359	optical same guid\$4 same rail\$1 same driv\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 10:40
L13	4	l11 and l12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 10:11
L14	3002	carrier same guid\$4 same rail\$1 same driv\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 10:40
L15	0	l11 and l14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 10:40